



PENJAGAAN DIRI
RAWATAN BADAN



SUSU BADAN [KD-78]

SUSU BADAN [KD-78]

PHASE	INCI	BRAND NAME	CONCENTRATION [%]	FUNCTION
A	Ceteareth-12	ROKAnol®T12	1,00	pengemulsi
	Ceteareth-25	ROKAnol® T25	1,00	pengemulsi
	Cetearyl alcohol	exoalc-1618-pastylki, Serpihan ExoAlc 1618	2,00	pemekat
	Paraffinum Liquidum		5,00	emolien
	Helianthus Annuus Seed Oil		0,50	emolien
	PPG-15 Stearyl ether	ROKAnol® SPI5L	4,00	emolien
B	Aqua		83,85	pelarut
	Betaine		0,50	aktif
C	Glycerin		1,00	pelarut
	Xanthan Gum		0,05	pengubahsuai reologi
D	Carbomer		0,25	pengubahsuai reologi
E	Sodium Hydroxide		0,05	pelaras pH
F	Phenoxyethanol, Methylparaben, Ethylparaben, Propylparaben		0,80	bahan pengawet



pH	5.0 - 7.0	
Penampilan	kaedah visual	emulsi putih
Kestabilan	1 bulan pada 5°C, 20°C, 40°C	disahkan

Procedure:

- Dalam bekas yang berasingan gabungkan bahan-bahan dari fasa A, B dan C.
- Masukkan bahan fasa D perlahan-lahan ke fasa B sambil digaul. Gaul sehingga seragam.
- Masukkan bahan fasa C perlahan-lahan ke fasa B sambil digaul. Homogenkan dengan 2000-3000 RPM, 90 saat.
- Panaskan fasa A dan B kepada 75-80°C.
- Tambah A ke dalam B semasa mengadun, simpan A/B pada suhu 75-80°C. Homogenkan dengan 2000-3000 RPM, 120 saat.
- Sejukkan batch hingga 50°C semasa mengadun. Masukkan bahan fasa E semasa mengadun. Homogenkan dengan 2500-3500 RPM, 90 saat.
- Sejukkan batch hingga 25°C. Masukkan bahan fasa F semasa mengadun. Homogenkan dengan 2500-3500 RPM, 90 saat.



The information in the catalogue is believed to be accurate and to the best of our knowledge, but should be considered as introductory only. Detailed information about products is available in TDS and MSDS. Suggestions for product applications are based on our the best of our knowledge.

The responsibility for the use of products in conformity or otherwise with the suggested application and for determining product suitability for your own purposes rests with the user.

All copyright, trademark rights and other intellectual and industrial property rights and the resulting rights to use this publication and its contents have been transferred to PCC Rokita SA, PCC EXOL SA and other companies of the PCC Group or its licensors. All rights reserved.

Users/readers are not entitled to reproduce this publication in whole or in part, nor are they entitled to reproduce it (excluding reproduction for personal use) or to transfer it to third parties.

Permission to reproduce it for personal use does not apply in respect to data used in other publications, in electronic information systems, or in other media publications. PCC Rokita SA and PCC EXOL SA shall not be responsible for data published by users.

Please visit our capital group business platform to check full range of products for personal care.

www.products.pcc.eu

PCC Group
Sienkiewicza 4
56-120 Brzeg Dolny
Poland

e-mail: products@pcc.eu

