



PERSONLIG VÅRD
KROPPSBEHANDLING



KRÄMIG ANSIKTSSKRUBB
[KD-91]

KRÄMIG ANSIKTSSKRUBB [KD-91]

PHASE	INCI	BRAND NAME	CONCENTRATION [%]	FUNCTION
A	Ceteareth-12	ROKAnol®T12	1,50	emulgeringsmedel
	Ceteareth-25	ROKAnol® T25	0,50	emulgeringsmedel
	Cetearyl alcohol	ExoAlc 1618 flingor	3,00	emulsionsstabilisator
	PPG-15 Stearyl ether	ROKAnol® SPI5L	6,00	uppmjukande
	Caprylic/Capric Triglyceride		1,00	uppmjukande
	Helianthus Annuus Seed Oil		5,00	uppmjukande
	Butyrospermum Parkii Butter		0,50	uppmjukande
	Tocopheryl Acetate		0,20	aktiva
	B	Aqua		73,68
Betaine			1,00	aktiva
Glycerin			4,00	lösningsmedel
Pentylene Glycol			2,00	lösningsmedel
Magnesium Aluminum Silicate			0,10	reologimodifierare
C	Acrylates/C10-30 Alkyl Acrylate Crosspolymer		0,27	reologimodifierare
D	Phenoxyethanol, Methylparaben, Ethylparaben, Propylparaben		0,50	konserveringsmedel
	Sodium Hydroxide		0,10	pH-justerare
E	Parfum		0,30	doft
	Cellulose acetate		0,35	skrovlig



pH

5.0 - 7.0

Utseende

visuell metod

emulsion med skrubbparklar

Stabilitet

1 månad vid 5°C, RT, 40°C

bekräftad

Procedure:

1. Kombinera ingredienser från fas B i ett huvudkärl. Tillsätt pentylenglykol, glycerin, betain till vattnet. Tillsätt magnesiumaluminiumsilikat under blandning. Blanda i 10 min - 150-200 rpm. Homogenisera med 2000-3000 RPM, 5-6 min.
2. Tillsätt Acrylates/C10-30 Alkyl Acrylate Crosspolymer under blandning. Blanda i 10 min - 100-150 rpm. Homogenisera med 700-1000 RPM, 60-90 sek.
3. Kombinera ingredienser från fas A i ett separat kärl.
4. Värm fas A och B till 75-80°C.
5. Tillsätt A till B, medan du blandar, håll A/B vid 75-80°C. Homogenisera med 2000-3000 RPM, 120 sek.
6. Kyl ner satsen till 50°C under blandning. Tillsätt fas D- ingredienser under blandning. Homogenisera med 2500-3000 RPM, 120 sek.
7. Kyl ner satsen till 25°C under blandning.
8. Tillsätt parfym och slipmedel under blandning. Blanda tills det är enhetligt.



The information in the catalogue is believed to be accurate and to the best of our knowledge, but should be considered as introductory only. Detailed information about products is available in TDS and MSDS. Suggestions for product applications are based on our the best of our knowledge.

The responsibility for the use of products in conformity or otherwise with the suggested application and for determining product suitability for your own purposes rests with the user.

All copyright, trademark rights and other intellectual and industrial property rights and the resulting rights to use this publication and its contents have been transferred to PCC Rokita SA, PCC EXOL SA and other companies of the PCC Group or its licensors. All rights reserved.

Users/readers are not entitled to reproduce this publication in whole or in part, nor are they entitled to reproduce it (excluding reproduction for personal use) or to transfer it to third parties.

Permission to reproduce it for personal use does not apply in respect to data used in other publications, in electronic information systems, or in other media publications. PCC Rokita SA and PCC EXOL SA shall not be responsible for data published by users.

Please visit our capital group business platform to check full range of products for personal care.

www.products.pcc.eu

PCC Group
Sienkiewicza 4
56-120 Brzeg Dolny
Poland

e-mail: products@pcc.eu

