



KİŞİSEL BAKIM
YÜZ TEDAVİSİ



CİLT YÜZ YIKAMA JELİ
[KD-62]

CİLT YÜZ YIKAMA JELİ [KD-62]

PHASE	INCI	BRAND NAME	CONCENTRATION [%]	FUNCTION
A	Acrylates/C10-30 Alkyl Acrylate Crosspolymer		0,90	reoloji deęiřtirici
	Aqua		40,00	özücü
B	Aqua		kadar	özücü
	Sodium Laureth Sulfate	SULFOROKAnol®L270/1	7,00	süpfaktan
	Magnesium Laureth Sulfate	EXOsoft MG	4,00	süpfaktan
	Betaine		2,00	aktif
	PEG-75 Lanolin	ROKAnol® LN75 / 50	1,00	süpfaktan
	Glycerin		1,00	nemlendirici ajan
	CI 17200		q.s.	renklendirici
	Benzophenone-4		0,05	UV filtresi
C	Phenoxyethanol, Ethylhexylglycerin		1,00	koruyucu
	Parfum		0,30	koku
	Cocamidopropyl Betaine	ROKAmina®K30	3,00	süpfaktan
D	Sodium Hydroxide		q.s.	pH ayarlayıcı



pH		5.0 - 6.0
görünüm	görsel yöntem	pembe jel
viskozite [cP]	Brookfield LV, iř mili 34, hız 2,5 RPM, T: 25°C	18000 - 22000
istikrar	5°C'de 1 ay, oda sıcaklığında, 40°C	onaylanmış

Procedure:

1. Deiyonize suyu (25-30°C) ana kaba dökün ve Akriolatlar/C10-30 Alkil Akriolat Çaprazpolimeri ekleyin. Polimer tamamen ısladığında karıştırmaya başlayın. Homojen çözelti elde edilene kadar karıştırın. 1-2 dakika homojenize edin.
2. B fazındaki malzemeleri ayrı bir kaptaki birleştirin. Hafifçe çalkalayarak 40-45°C'ye kadar ısıtın. Homojen çözelti elde edilene kadar karıştırın.
3. Karıştırırken yavaş yavaş faz B'yi faz A'ya ekleyin. Üniforma kadar karıştırın.
4. Karıştırırken Koruyucu, Cocamidopropyl Betaine ve Parfüm ekleyin. Üniforma kadar karıştırın.



The information in the catalogue is believed to be accurate and to the best of our knowledge, but should be considered as introductory only. Detailed information about products is available in TDS and MSDS. Suggestions for product applications are based on our the best of our knowledge.

The responsibility for the use of products in conformity or otherwise with the suggested application and for determining product suitability for your own purposes rests with the user.

All copyright, trademark rights and other intellectual and industrial property rights and the resulting rights to use this publication and its contents have been transferred to PCC Rokita SA, PCC EXOL SA and other companies of the PCC Group or its licensors. All rights reserved.

Users/readers are not entitled to reproduce this publication in whole or in part, nor are they entitled to reproduce it (excluding reproduction for personal use) or to transfer it to third parties.

Permission to reproduce it for personal use does not apply in respect to data used in other publications, in electronic information systems, or in other media publications. PCC Rokita SA and PCC EXOL SA shall not be responsible for data published by users.

Please visit our capital group business platform to check full range of products for personal care.

www.products.pcc.eu

PCC Group
Sienkiewicza 4
56-120 Brzeg Dolny
Poland

e-mail: products@pcc.eu

